

# **Safety Data Sheet**

# prepared to UN GHS Revision 3

# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier TAMMS SM Revision Date: 22/06/2021

Product Name: Tamms Structural Mortar Supersedes Date: New SDS

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Mono-component industrial grouts, mortars and screeds.

1.3 Details of the supplier of the safety data sheet

Importer: Importer

Manufacturer: StonCor Africa (Pty.) Ltd.

8 Cresset Road

Midrand Industrial Park, Chloorkop

P.O. Box 2205 2001, Johannesburg

South Africa

Regulatory / Technical Information:

+27 11 254 5500

Datasheet Produced by: Lekgoro, Wayne - ehs@stoncor.com

1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US)

CHEMTREC +1 703 5273887 (Outside US)

Giftinformasjonen: +47 22 59 13 00

## 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Carcinogenicity, category 1A Serious Eye Damage, category 1 STOT, single exposure, category 1 Skin Irritation, category 2 Skin Sensitizer, category 1

## 2.2 Label elements

## Symbol(s) of Product



## Signal Word

Danger

## Named Chemicals on Label

quartz (silicon dioxide), portland cement

## **HAZARD STATEMENTS**

| Skin Irritation, category 2       | H315         | Causes skin irritation.   |
|-----------------------------------|--------------|---|
| Skin Sensitizer, category 1       | H317         | May cause an allergic skin reaction.  |
| Serious Eye Damage, category 1    | H318         | Causes serious eye damage.  |
| Carcinogenicity, category 1A      | H350-1A      | May cause cancer.   |
| STOT, single exposure, category 1 | H370         | Causes damage to organs.  |
| PRECAUTION PHRASES                |              |   |
|                                   | P201         | Obtain special instructions before use.                                     |
|                                   | P202         | Do not handle until all safety precautions have been read and understood.   |
|                                   | P260         | Do not breathe dust/fume/gas/mist/vapours/spray.                            |
|                                   | P264         | Wash hands thoroughly after handling.                                       |
|                                   | P280         | Wear protective gloves/protective clothing/eye protection/ face protection. |
|                                   | P284         | Wear respiratory protection.  |
|                                   | P301+310     | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         |
|                                   | P302+352     | IF ON SKIN: Wash with plenty of soap and water.                             |
|                                   | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes.                |
|                                   |              | Remove contact lenses, if present and easy to do so.                        |
|                                   |              | Continue rinsing.   |
|                                   | P307+311     | IF exposed, call a POISON CENTER or doctor/physician.                       |
|                                   | P308+313     | IF exposed or concerned: Get medical advice/attention.                      |
|                                   | P314         | Get medical advice/attention if you feel unwell.                            |
|                                   | P333+313     | If skin irritation or rash occurs: Get medical advice/attention.            |

#### 2.3 Other hazards

No Information

#### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# 3. Composition/Information On Ingredients

#### 3.2 Mixtures

## Hazardous ingredients

| Name According to EEC quartz (silicon dioxide) | EINEC No. | <b>CAS-No.</b> | <u>%</u> | Classifications |
|--|-----------|----------------|----------|-----------------|
|  | 238-878-4 | 14808-60-7     | 50 - <75 | H350-370        |
| portland cement                                | 266-043-4 | 65997-15-1     | 10 - <25 | H315-317-318    |

| Silica, amorphous fume | 69012-64-2 | 1.0 - <2.5 |      |
|------------------------|------------|------------|------|
| tartaric acid          | 87-69-4    | 0.1 - <1.0 | H318 |

| CAS-No.    | M-Factors |
|------------|-----------|
| 14808-60-7 | 0         |
| 65997-15-1 | 0         |
| 69012-64-2 | 0         |
| 87-69-4    | 0         |
|            |           |

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

## 4.1 Description of First Aid Measures

**GENERAL NOTES:** No Information

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye

irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water sprayDry powderAlcohol-resistant foamCarbon dioxide (CO2). High volume water jet. None.

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

## 6.2 Environmental precautions

No Information

#### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

#### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture.

**PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** No Information

STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (EU)

| Name                     | CAS-No.        | LTEL ppm | STEL ppm | STEL mg/m3 | LTEL mg/m3 |
|--------------------------|----------------|----------|----------|------------|------------|
| quartz (silicon dioxide) | 14808-60-7     |          |          |            |            |
| portland cement          | 65997-15-1     |          |          |            |            |
| Silica, amorphous fume   | 69012-64-2     |          |          |            |            |
| tartaric acid            | 87-69-4        |          |          |            |            |
|                          |                |          |          |            |            |
| <u>Name</u>              | <u>CAS-No.</u> | OEL Note |          |            |            |
| quartz (silicon dioxide) | 14808-60-7     |          |          |            |            |

quartz (silicon dioxide) 14808-60-7
portland cement 65997-15-1
Silica, amorphous fume 69012-64-2
tartaric acid 87-69-4

**FURTHER INFORMATION:** Refer to the regulatory exposure limits for the workforce enforced in each country.

## 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** Effective dust mask. **EYE PROTECTION:** Safety glasses with side-shields.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

## 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Grey Powder

Physical State Solid

**Odor** Odourless

Odor threshold Not determined

**pH** Not determined

Melting point / freezing point (°C) Not determined

Boiling point/range (°C) N.D. - N.D.

Flash Point, (°C) N/A

Evaporation rate Not determined

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

999 - 0

Vapour Pressure Not determined
Vapour density Not determined

Relative density 2.5 - 2.7

Solubility in / Miscibility with water Reacts

Partition coefficient: n-octanol/water

Not determined

Auto-ignition temperature (°C)

Not determined

Not determined

Viscosity

Not determined

Explosive properties

Not determined

Oxidising properties

Not determined

9.2 Other information

VOC Content g/l:

Calculated grams of VOC per liter of coating product as applied. Specific Gravity (g/cm3) 2.237

# 10. Stability and Reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

## 10.4 Conditions to avoid

No Information

## 10.5 Incompatible materials

Do not store near acids. Strong oxidizing agents.

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known. Hydrogen fluoride

# 11. Toxicological Information

#### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information Inhalation LC50: No information

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: This product contains one or more carcinogenic substances. See hazard classification

and precautionary statements in Section 2 for further information.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u> <u>Chemical Name</u> <u>Oral LD50</u> <u>Dermal LD50</u> <u>Vapor LC50</u> <u>Gas LC50</u> <u>Dust/Mist LC50</u>

Data at the substance level is not

available.

#### Additional Information:

The cement contained within this product may cause dermal sensitization due to the potential presence of trace amounts of hexavalent chromium. This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

# 12. Ecological Information

#### 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

**12.3 Bioaccumulative potential:** No information

12.4 Mobility in soil: No information

Results of PBT and vPvB 12.5 The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: No information

| CAS-No.   | <u>Chemical Name</u>       | EC50 48hr      | IC50 72hr      | LC50 96hr      |
|-----------|----------------------------|----------------|----------------|----------------|
| 14808-60- | 7 quartz (silicon dioxide) | No information | No information |                |
| 65997-15- | 1 portland cement          | No information | No information |                |
| 69012-64- | 2 Silica, amorphous fume   | No information | No information | No information |
| 87-69-4   | tartaric acid              | No information | No information | No information |

# 13. Disposal Considerations

WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport Information

**UN number** Not applicable

14.2 UN proper shipping name Not regulated for transport according to ADR/RID, IMDG, and IATA

regulations.

Not applicable **Technical name** Not applicable 14.3 Transport hazard class(es) Subsidiary shipping hazard Not applicable 14.4 Packing group Not applicable

Not applicable 14.5 Environmental hazards 14.6 Special precautions for user Not applicable

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC code

Not applicable Not applicable

## 15. Regulatory Information

EmS-No.:

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

**National Regulations:** 

**Denmark Product Registration Number:** Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Not available **Sweden Product Registration Number:** 

**Norway Product Registration Number:** Not available

Not available WGK Class:

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

#### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H350 May cause cancer. H370 Causes damage to organs.

#### Reasons for revision

No Information

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation
GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.